

# VersiCell®

Sub-Soil  
Drainage Modules



## Enhancing Our Environment

VersiCell® sub-soil drainage modules enhance our environment by providing an effective alternative to gravel aggregates used in conventional drainage systems.



# VersiCell®


VersiCell® offers architects and developers greater design flexibility and has a wide range of applications in the landscape, building and construction industries.

VersiCell® is a high-strength, lightweight, interlocking 100% recycled plastic structural module used for sub-surface drainage. The open surface design and high internal void volume result in highly efficient drainage.

In a green roof application, VersiCell® provides a drainage cavity and an additional protection layer for the waterproof membrane(s). It eliminates the need for a gravel course.

VersiCell® modules are easily interlocked in the same plane (a) or at right angles (b) to one another. The modules may also be butted together without interlocking.


VersiTanks® may be fabricated by-joining VersiCell® modules with stabilisers. When positioned underground, these high strength tanks may be used as a stormwater management system for rainwater from roofs and other surfaces such as parking areas, driveways, playgrounds and sports areas.



## Applications


Typical areas of applications include:

- Green roof and landscaped decks
- Paved areas and roadways
- Sports fields
- Retaining/basement walls
- Pond filtration
- Capillary irrigation
- Bridge abutments
- Tunnels and landfills
- Golf courses
- Underground percolation tanks




### Plaza Deck

1. VersiCell®
2. Waterproof membrane
3. Geotextile
4. Sand
5. Pavers




### Landscape Deck

1. VersiCell®
2. Waterproof membrane
3. Geotextile
4. Coarse sand
5. Planting soil




### Sports Field

1. VersiCell®
2. Geotextile
3. Coarse Sand
4. Soil




### Concealed Drain

1. VersiCell®
2. Geotextile
3. Coarse sand
4. Soil




### Basement Wall

1. VersiCell®
2. Waterproof membrane
3. Geotextile
4. Soil




### Storm Drain

1. VersiCell®
2. Geotextile
3. Concrete panel
4. Sandy gravel
5. Soil




### Capillary Irrigation

1. VersiCell®
2. Waterproof membrane
3. Geotextile
4. Moisture wick
5. Overflow pipe
6. Coarse sand
7. Planting soil




### Pond Filtration

1. VersiCell®
2. Geotextile
3. Pebbles
4. Pipe support
5. Waterproof membrane



## Percolation Tank

1. VersiTank®
2. Geotextile
3. Inlet pipe
4. Soil



VersiCell® is suitable for use in underground percolation systems of any size.

## Advantages

### Design Flexibility

Greater design flexibility as the modules may be interlocked in one plane or at right angles to form continuous large panels, conduits and tanks.

### Easy Installation

Large easy-to-join modules or pre-assembled panels allow rapid installation and minimise on-site disruption.

### Lightweight and High Strength

Honeycomb design results in lightweight, high compressive strength.

### Durable

The modules are resistant to biological attack and a wide range of chemicals.

### Efficient

High surface and internal void volume results in efficient drainage. Narrow profile enables greater soil depth to be utilised in planter beds allowing a wider variety of landscape plants.

### Environmentally Friendly

VersiCell® is manufactured from high strength 100% recycled plastics. VersiCell® supports US LEED™ credits.

## Specifications

### Modular Size:

VersiCell® 3050 500 mm L x 500 mm W x 30 mm H

VersiCell® 3025 500 mm L x 250 mm W x 30 mm H

**Weight:** < 3 kg/m<sup>2</sup>

**Material:** 100% recycled polypropylene

**Colour:** Black

**Compressive Strength:** >100 t/m<sup>2</sup>

**Discharge Capacity:** >16.5 l/m.s @ 1% gradient

**Surface Void Area:** > 62%

**Internal Void Area:** > 95%

**Biological/Chemical Resistance:** Unaffected by moulds and algae. Resistant to oils, acids, alkalis and bitumen.

**Service Temperature:** -30° C to 120° C

*VersiCell® is also known as Nordrain® and Nordrain® V.  
International patents pending*

[www.versicell.com](http://www.versicell.com)

**Note:** The information provided in this brochure is based on current knowledge and experience and does not infer any legally binding assurance or warranty, expressed or implied. Intending purchasers should verify whether any changes to specifications or applications or otherwise have been made since this literature was issued. The products in this brochure are manufactured using specified recycled plastics under detailed quality control standards and procedures. Factors including source of raw material and manufacturing processes may impact slightly on the strength of the modules.



### Distributed by:

KEN HITCHCOCK DESIGNS P/L

1279 MALVERN ROAD

MALVERN VIC 3144

TEL: 03 9822 2748

FAX: 03 9822 3748

EMAIL: [khitchcock@ozemail.com.au](mailto:khitchcock@ozemail.com.au)

[www.stonemERCHANTS.com.au](http://www.stonemERCHANTS.com.au)